



ZIMAIZ
INTERNATIONAL



**Trocars, Suction &
Irrigation Instruments,
Probes, Cotton
Applicators**

SURGICAL
INSTRUMENTS
CATALOGUE





Trokare, Saug- und Spülinstrumente, Sonden, Watteträger
Trocars, Suction and Irrigation Instruments,
Probes, Cotton Applicators

Trokare	<i>Trocars</i>	TS 1 - 2
Kanülen	<i>Cannulas</i>	TS 3 - 7
Saug-Raspatorien, Saug-Dissektoren	<i>Suction Raspatories, Suction Dissectors</i>	TS 8
Mikro-Saugkanülen	<i>Micro Suction Tubes</i>	TS 9
Katheterzangen	<i>Catheter Forceps</i>	TS 10
Spritzen	<i>Syringes</i>	TS 11
Luer-Lock Adapter	<i>Luer-Lock Adapter</i>	TS 12
Führungsnadeln	<i>Guide Needles</i>	TS 13
Sonden	<i>Probes</i>	TS 14 - 17
Watteträger	<i>Cotton Applicators</i>	TS 18 - 20





ZIMAIZ
INTERNATIONAL



NELSON

Gesamtlänge Total length	Nutzlänge Working length	Außen-Ø Outer-Ø	Innen-Ø Inner-Ø	
17,5 cm – 7"	7,5 cm – 3"	3 mm	2,2 mm	ZA 5200-30
	7,5 cm – 3"	3,5 mm	2,5 mm	ZA 5200-35
	7,5 cm – 3"	4 mm	3 mm	ZA 5200-40
	7,5 cm – 3"	4,5 mm	3,5 mm	ZA 5200-45
	8 cm – 3¼"	5 mm	4 mm	ZA 5200-50
	8 cm – 3¼"	5,5 mm	4,5 mm	ZA 5200-55
	8,5 cm – 3¼"	6 mm	5 mm	ZA 5200-60



UNIVERSAL

Trokar-Set komplett, bestehend aus: Trocar set complete, consisting of:	ZA 5212-04
--	-------------------

- 1 Griff, flach
- 1 Handle, flat
- 1 Trokar Ø 1,7 mm
- 1 Trocar Ø 1.7 mm
- 1 Trokar Ø 3 mm
- 1 Trocar Ø 3 mm
- 1 Trokar Ø 4,5 mm
- 1 Trocar Ø 4.5 mm
- 1 Trokar Ø 6 mm
- 1 Trocar Ø 6 mm



Trokare Trocars



mit Luer-Lock Ansatz
with Luer-Lock hub

16 cm – 6¼"

ZA 5220-16



14 cm – 5½"

ZA 5232-16



Ø mm	15 cm – 6"
4	ZA 5250-40
4,6	ZA 5250-46
5,5	ZA 5250-55
6,5	ZA 5250-65



Ø 10 mm mit zentraler Bohrung Ø 2 mm
Ø 10 mm with central hole Ø 2 mm




Ø 5 mm



ZIMAIZ
INTERNATIONAL



Kanülen Cannulas



KLIMA-ROSEGGER

isoliert, mit Saugunterbrecher und Mandrel
insulated, with cut-off and stylet



FERGUSSON

		Arbeitslänge Working length
Ø mm	Charr./Fr.	90 mm – 3½"
4	12	ZA 6421-34



		Arbeitslänge Working length		
Ø mm	Charr./Fr.	90 mm – 3½"	110 mm – 4¼"	130 mm – 5"
1,5	5	ZA 6420-05	ZA 6420-16	ZA 6420-25
2	6	ZA 6420-06	ZA 6420-17	ZA 6420-26
2,3	7	ZA 6420-07	ZA 6420-18	ZA 6420-27
2,5	8	ZA 6420-08	ZA 6420-19	ZA 6420-28
3	9	ZA 6420-09	ZA 6420-20	ZA 6420-29
3,3	10	ZA 6420-10	ZA 6420-21	ZA 6420-30
3,5	11	ZA 6420-11	ZA 6420-22	ZA 6420-31
4	12	ZA 6420-12	ZA 6420-23	ZA 6420-32
5	15	ZA 6420-15	ZA 6420-24	ZA 6420-33

mit Saugunterbrecher und Mandrel
with cut-off and stylet



FRAZIER (FERGUSSON)

		Arbeitslänge Working length	
Ø mm	Charr./Fr.	150 mm – 6"	190 mm – 7½"
1,5	5	ZA 6420-34	ZA 6420-43
2	6	ZA 6420-35	ZA 6420-44
2,3	7	ZA 6420-36	ZA 6420-45
2,5	8	ZA 6420-37	ZA 6420-46
3	9	ZA 6420-38	ZA 6420-47
3,3	10	ZA 6420-39	ZA 6420-48
3,5	11	ZA 6420-40	ZA 6420-49
4	12	ZA 6420-41	ZA 6420-50
5	15	ZA 6420-42	ZA 6420-51

Kanülen Cannulas



olivenförmig
olive-shaped



FRAZIER

		Arbeitslänge Working length
Ø mm	Charr./Fr.	100 mm – 4"
2	6	ZA 6420-56
2,5	8	ZA 6420-58
3,3	10	ZA 6420-60
4	12	ZA 6420-62
5	15	ZA 6420-65

Abstandsmarkierungen bei 5 - 9 cm
Calibrations marked at 5 - 9 cm



FRAZIER

mit Saugunterbrecher und Mandrel
with with cut-off and stylet

		Arbeitslänge Working length
Ø mm	Charr./Fr.	100 mm – 4"
2	6	ZA 6420-76
2,5	8	ZA 6420-78
3,3	10	ZA 6420-80
4	12	ZA 6420-82
5	15	ZA 6420-85



FERGUSSON

90°

mit Mandrel
with stylet

		Arbeitslänge Working length
Ø mm	Charr./Fr.	100 mm – 4"
2	6	ZA 6421-06
2,3	7	ZA 6421-07
2,5	8	ZA 6421-08
3	9	ZA 6421-09
3,3	10	ZA 6421-10
3,5	11	ZA 6421-11
4	12	ZA 6421-12
5	15	ZA 6421-15

mit Saugunterbrecher und Mandrel
with cut-off and stylet



ADSON

		Arbeitslänge Working length
Ø mm	Charr./Fr.	145 mm – 5¾"
4	12	ZA 6426-21



Kanülen Cannulas

mit Langloch Saugunterbrecher und Mandrel
with elongated cut-off and stylet



45°

POP PEN


Ø mm	Charr./Fr.	Arbeitslänge Working length	
		90 mm – 3½"	145 mm – 5¾"
2	6	ZA 6426-50	ZA 6426-60
2,3	7	ZA 6426-51	ZA 6426-61
2,5	8	ZA 6426-52	ZA 6426-62
3	9	ZA 6426-53	ZA 6426-63
3,3	10	ZA 6426-54	ZA 6426-64
3,5	11	ZA 6426-55	ZA 6426-65
4	12	ZA 6426-56	ZA 6426-66
5	15	ZA 6426-57	ZA 6426-67

Saugrohr, keramikbeschichtet
suction tube, ceramic coated



		Arbeitslänge Working length	
Ø mm	Charr./Fr.	160 mm – 6"	
3	9	ZA 6427-100	

		Arbeitslänge Working length	
Ø mm	Charr./Fr.	160 mm – 6"	
3	9	ZA 6427-130	



mit Mandrel
with stylet

125 mm - 5"

		Arbeitslänge Working length
Ø mm	Charr./Fr.	125 mm - 5"
1,5	5	ZA 6427-01
2,3	7	ZA 6427-02
3	9	ZA 6427-03
4	12	ZA 6427-04

MC CULLOCH



mit Mandrel
with stylet

Arbeitslänge
Working length

		Arbeitslänge Working length
Ø mm	Charr./Fr.	70 mm - 2 ³ / ₄ "
1	3	ZA 7845-03
1,5	5	ZA 7845-05
2,3	7	ZA 7845-07

Olive
Olive
Ø 8 mm

BARON



Nadelsauger
Suction needle

Arbeitslänge
Working length


		Arbeitslänge Working length
Ø mm	Gauges	80 mm - 3 ¹ / ₄ "
0,9	20	ZA 7845-20
0,7	22	ZA 7845-22
0,5	24	ZA 7845-24

Olive
Olive
Ø 8 mm


SCHUKNECHT




Saug-Raspatorien, Saug-Dissektoren Suction Raspatories, Suction Dissectors



ZIMAIZ
INTERNATIONAL



		Arbeitslänge Working length
Ø mm	Charr./Fr.	120 mm – 4"
2,3	7	ZA 6424-20
3	9	ZA 6424-21
3,5	11	ZA 6424-22




		Arbeitslänge Working length
Ø mm	Gauges	140 mm – 5½"
1,62	16	ZA 6424-40
1,22	18	ZA 6424-41






Katheterzangen Catheter Forceps



MAGILL



für Kleinkinder
for infants

15 cm – 6"


ZA 5295-15



für Kinder
for children

20 cm – 8"

ZA 5295-20



für Erwachsene
for adults

25 cm – 10"

ZA 5295-25




ZIMAIZ
INTERNATIONAL



Luer-Lock Ansatz
Luer Lock connector

mlcc	Dreiring-Spritze 3 ring syringe
2	ZA 5285-02
5	ZA 5285-05
10	ZA 5285-10



mlcc	Zylinder Cylinder
2	ZA 5285-52
5	ZA 5285-55
10	ZA 5285-60



JANET 1:3

mlcc	Spritze mit 2 Kanülen Syringe with 2 cannulas	Spritze, allein Syringe, only	Zylinder, allein Cylinder, only
50	ZA 5286-05	ZA 5286-55	ZA 5286-75
75	ZA 5286-07	ZA 5286-57	ZA 5286-77
100	ZA 5286-10	ZA 5286-60	ZA 5286-80
150	ZA 5286-15	ZA 5286-65	ZA 5286-85
200	ZA 5286-20	ZA 5286-70	ZA 5286-90



Luer-Lock Adapter Luer-Lock Adapter



1:1

LLA weiblich
RC männlich
LLA female
RC male

ZA 5288-01



1:1

RC weiblich
LA männlich
RC female
LA male

ZA 5288-02



1:1

LLA weiblich
LLA female

ZA 5288-21



1:1

LLA männlich
LLA male

ZA 5288-03



1:1

LLA weiblich
LLA female

ZA 5288-04



1:1

LLA männlich
LLA male

ZA 5288-31

LA = Luer Konus Adapter
LLA = Luer-Lock Adapter
RC = Record Konus Adapter

LA = luer cone adapter
LLA = luer-lock adapter
RC = record conus adapter




Charr. /Fr.	Messerspitze, leicht gebogen <i>Knife tip, slightly curved</i>
8	ZA 5291-08
10	ZA 5291-10
12	ZA 5291-12
14	ZA 5291-14
16	ZA 5291-16
18	ZA 5291-18

REDON



Charr. /Fr.	Messerspitze, gebogen <i>Knife tip, curved</i>
8	ZA 5291-28
10	ZA 5291-30
12	ZA 5291-32
14	ZA 5291-34
16	ZA 5291-36
18	ZA 5291-38

REDON




Charr. /Fr.	Lanzettenspitze, leicht gebogen <i>Lancet tip, slightly curved</i>
8	ZA 5291-48
10	ZA 5291-50
12	ZA 5291-52
14	ZA 5291-54
16	ZA 5291-56
18	ZA 5291-58

REDON




Sonden Probes



Doppelknopfsonde
Double-ended Probe

	Ø 1 mm	Ø 1,5 mm	Ø 2 mm
11,5 cm – 4½"	ZA 4900-11	ZA 4901-11	ZA 4902-11
13 cm – 5"	ZA 4900-13	ZA 4901-13	ZA 4902-13
14,5 cm – 5¾"	ZA 4900-14	ZA 4901-14	ZA 4902-14
16 cm – 6¼"	ZA 4900-16	ZA 4901-16	ZA 4902-16
18 cm – 7"	ZA 4900-18	ZA 4901-18	ZA 4902-18
20 cm – 8"	ZA 4900-20	ZA 4901-20	ZA 4902-20
25 cm – 10"	ZA 4900-25	ZA 4901-25	ZA 4902-25

	Öhrsonde Probe with eye
11,5 cm – 4½"	ZA 4906-11
13 cm – 5"	ZA 4906-13
14,5 cm – 5¾"	ZA 4906-14
16 cm – 6¼"	ZA 4906-16
18 cm – 7"	ZA 4906-18
20 cm – 8"	ZA 4906-20



WATSON-CHEYNE

	Sonde Probe
14 cm – 5½"	ZA 4907-13
18 cm – 7"	ZA 4907-18



FISH

	Sonde Probe
14,5 cm – 5¾"	ZA 4908-14
18 cm – 7"	ZA 4908-18



	Hohlsonde <i>Director</i>
11,5 cm – 4½"	ZA 4910-11
13 cm – 5"	ZA 4910-13
14,5 cm – 5¾"	ZA 4910-14
16 cm – 6¼"	ZA 4910-16
18 cm – 7"	ZA 4910-18
20 cm – 8"	ZA 4910-20



DOYEN



Sonde, gebogen
Probe, curved

14,5 cm – 5¾"

ZA 4911-14



	Hohlsonde <i>Director</i>
13 cm – 5"	ZA 4912-13
14,5 cm – 5¾"	ZA 4912-14
16 cm – 6¼"	ZA 4912-16
18 cm – 7"	ZA 4912-18



ZIMAIZ
INTERNATIONAL



Sonde
Probe

14,5 cm – 5¾"

ZA 4913-14



Myrtenblattsonde
Myrtle leaf probe

13 cm – 5"

ZA 4914-13

14,5 cm – 5¾"

ZA 4914-14

16 cm – 6¼"




ZA 4914-16

20 cm – 8"

ZA 4914-20







Sonden Probes





LOCKART-MUMMARY





17 cm – 6¾"

Fig. 1	Fig. 2	Fig. 3	Fig. 4
ZA 4925-01	ZA 4925-02	ZA 4925-03	ZA 4925-04



PRATT





21 cm – 8¼"

ZA 4926-01	ZA 4926-02	ZA 4926-03
-------------------	-------------------	-------------------




ZIMAIZ
INTERNATIONAL



Watteträger Cotton Applicators



Watteträger Cotton Applicators



ZIMAIZ
INTERNATIONAL



Watteträger Cotton Applicators

FARRELL

	Ø mm mm	rund gerieft serrated <i>round</i>	dreikant gerieft triangular serrated <i>triangular</i>
14 cm – 5½"	0,9	ZA 4935-14	ZA 4936-14
16,5 cm – 6½"	1,1	ZA 4935-16	ZA 4936-16

FROHN

	Ø mm mm	spiralför migs spiral threads
12 cm – 4¾"	1 mm	ZA 4934-01
14 cm – 5½"	1 mm	ZA 4934-02
16 cm – 6¼"	1 mm	ZA 4934-03



Maul with 3 expanding jaws

Schaftlänge Shaft length	dreiteiliges Maul with 3 expanding jaws
28 cm – 11"	ZA 4941-28
38 cm – 15"	ZA 4941-45

1:3